

CITIZEN

Экономичный настольный принтер

Низкозатратный с высокими техническими характеристиками



Характеристики

Настольный принтер CL-E720 оснащен всеми функциями, что и устройства более высокого класса. CL-E720 крайне прост в использовании и обслуживании, а улучшенный механизм ARCP™ обеспечивает точность и высокое качество печати.

Экологичный

CL-E720 имеет встроенный источник питания класса ENERGY STAR®, что полностью отвечает нынешним зеленым стандартам в отрасли. Принтер является одной из наиболее эффективных моделей среди аналогов благодаря крайне низкому энергопотреблению.

Интерфейсы

Вы можете также управлять принтером удаленно, настроив его параметры с помощью программного инструмента LinkServer™, который позволяет мгновенно подключиться к принтеру с помощью веб-браузера.

CL-E720

Label, Industrial

Applications

- Courier
- Logistic / Transport
- Manufacturing
- Retail
- Warehousing



идеально подходит для работы в условиях ограниченного рабочего пространства. Его тело, изготовленное с использованием технологии Hi-Open™, открывается вертикально без дополнительного простр

TOMORROW'S PRINTING TODAY



Благодаря встроенным LAN и USB интерфейсам, CL-E720 может быть подключен в системы различной конфигурации.

Specifications

Model	CL-E720
Printing Technology	Thermal Transfer + Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	8 inches per second (200 mm/s)
Print Width (maximum)	4 inches (104 mm)
Media Width (min to max)	0.5 to 4 inches (12.5 to 118 mm)
Roll Size (max), Core Size	Outside diameter 8 inches (200mm) Core size 1 to 3 inches (25 to 75 mm)
Media Thickness (min to max)	63.5 to 254 µm
Media Length (min to max)	0.25 to 158 inches (6.4 to 4013 mm, depending on emulation)
Media Sensor	Fully adjustable gap, reflective black mark and ribbon near end
Main Interface	Triple interface: USB and Ethernet built-in plus interface card slot for optional card
Interface	Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Premium Wireless LAN, Ethernet (10/100 BaseT), Ethernet (SEH), Serial (RS-232C compliant), Parallel (IEEE 1284 compliant)
Ribbon size	2.9 inches (74mm) maximum outside diameter. 360 metres length. 1 inch (25mm) core
Ribbon winding & type	Ink side in or out, automatically sensing. Wax, Wax/Resin or Resin Type
Ribbon system	ARCP™ automatic ribbon tension adjustment
Mechanism	Hi-Lift™ metal mechanism with wide opening head
Control panel	4 buttons, 2-colour backlit graphic LCD with status LED
Emulations (Languages)	Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400
Drivers and software	Free-of-charge on CD with printer, including support for various platforms
Flash (Non-Volatile Memory)	16 MB total, 4MB available for user

CL-E720

Label, Industrial

Features & Benefits

- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- ENERGY STAR® compliant
- Recyclable packacking
- Basic peeler



Стардартные операции по управлению принтером осуществляются с фронтальной стороны; таким образом CL-E720 обеспечивает легкую загрузку расходных материалов и простоту эксплуатации.

Model	CL-E720
Size (W x D x H) and Weight	250 x 458 x 261 mm, 11 Kg
Warranty	2 years on printer. 6 months or 50 Kms printhead

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O’Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0