

CITIZEN

Новый размер настольного принтера этикеток

В два раза меньше, в два раза дешевле



Проверенные технологии

Citizen CL-S6621 сочетает преимущества надежного металлического механизма Hi-Lift™ для легкой загрузки риббона и бумаги с преимуществами индустриального корпуса с двойной стенкой - ABS.

Компактный дизайн

Компактный дизайн Citizen CL-S6621 делает данный 6-дюймовый принтер самым маленьким на рынке, идеально Подходящим для решений, требующих экономии места.

Легкая эксплуатация и замена расходных материалов

Бумага и риббоны могут быть легко заменены благодаря механизму Hi-Open™.

CL-S6621

Label, Wide Format (6 & 8-inch)

Applications

- Courier
- Logistic / Transport
- Manufacturing
- Warehousing




Новое измерение для 6-дюймовой печати

TOMORROW'S PRINTING TODAY

Citizen Systems Europe GmbH, Otto-Hirsch-Brücken 17, 70329 Stuttgart, Germany

CITIZEN SYSTEMS EUROPE GMBH



Принтер CL-S6621 имеет встроенный источник питания, благодаря чему занимает мало места и исключает необходимость дополнительного разъема.

Specifications

Model	CL-S6621
Printing Technology	Thermal Transfer + Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	6 inches per second (150 mm/s)
Print Width (maximum)	6 inches (168 mm)
Media Width (min to max)	2 to 7 inches (50 to 178 mm)
Roll Size (max), Core Size	Inside diameter 5 inches (125 mm) Core size 1 to 3 inches (25.4 to 76 mm)
Media Thickness (min to max)	63.5 to 254 µm
Media Length (min to max)	0.25 to 32 inches (6.35 to 812.8 mm)
Media Sensor	Fully adjustable gap, notch, reflective black mark and media low
Main Interface	Dual Interface Serial (RS-232C), USB (version 2.0, full speed)
Interface	Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)
Ribbon size	2.9 inches (74mm) maximum outside diameter. 360 metres length. 1 inch (25mm) core
Ribbon winding & type	Ink side in or out, switch selectable. Wax, Wax/Resin or Resin Type
Ribbon system	ARCP™ automatic ribbon tension adjustment
Mechanism	Hi-Lift™ metal mechanism with wide opening head
Control panel	4 buttons and 4 LEDs
Emulations (Languages)	Full Datamax® W-Class®, DMX800®, Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400, Zebra® ZPL-II®, BASIC interpreter for data stream processing and ticketing emulations
Drivers and software	Free-of-charge on CD with printer, including support for various platforms
Flash (Non-Volatile Memory)	8 MB total, 1 MB available for user

CL-S6621

Label, Wide Format (6 & 8-inch)

Features & Benefits

- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power supply enables clean work station
- Small footprint
- Recyclable packacking
- Basic peeler



Полностью металлический механизм для прочности и долговечности

Model	CL-S6621
Size (W x D x H) and Weight	303 x 290 x 273 mm, 7.9 Kgs
Cutter	Guillotine type, Dealer Installable
Warranty	2 years on printer. 6 months or 50 Kms printhead

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

CL-S6621

Label, Wide Format (6 & 8-inch)